#### HANSON et al. Serial No. 09/660,500

# BEST AVAILABLE COPY

Page 101, line 20, delete "to".

N.E. Page 108, delete "(i.e. not" and insert (i.e., no --

Page 109 line 20, after "Internet" and before the comma "," insert -- or other such network";

line 21, delete "destination" and insert -- source --.

### IN THE CLAIMS

Please amend the claims as follows:

Claim 21, line 5, after "sending" insert -- to --.

Please add the following new claims in order to more particularly point out the invention:

-- 24. A network as in claim 2 wherein said mobile computing device network interface adapter is physically attached to said network.

A2 +

- 25. A network as in claim 2 wherein said mobile computing device communicates wirelessly with the network point of attachment.
- 26. A method for maintaining communication between a mobile computing system and a network node as the mobile computing system roams between over plural disjoint networks comprising:

#### HANSON et al. Serial No. 09/660,500

establishing communications between the mobile system and a node via a first network segment;

sending the mobile computing system, via the first network segment, information for use in re-establishing communications with said node via plural further network segments each of which are disjoint from the first network segment; and

using said information to re-establish communications between the mobile computing system and the node via any of said plural further, disjoint network segments.

fa cmit

- 27. The process of claim 26 wherein said information comprises distributed interface data.
- 28. A process for providing least cost routing in a network having plural disjoint segments, comprising:
- (a) establishing communications between the network and a temporarily-attached mobile computing device;
- (b) using a roaming mechanism to allow the temporarily-attached mobile computing device to roam between said plural disjoint segments; and
- (c) enforcing at least one policy parameter to enable efficient automatic selection of alternate valid network paths for re-establishing communication between the network and the mobile computing device in response to mobile computing device roaming.

## HANSON et al. Serial No. 09/660,500

A2 could.

29. The process of claim 28 wherein the policy parameter comprises an element selected from the following group: bandwidth, cost per data unit and quality of service.--